

APAKM4012-C2G3D



40.0 x 40.0 x 12.2 mm RoHS/RoHS II Compliant MSL = N/A: Not Applicable

Features

- Stacked ceramic patch antenna
- Multiband GNSS GPS/GLONASS/Beidou/Galileo + SDARS
- RHCP polarization for GNSS
- LHCP polarization for SDARS

Applications

- GPS/GLONASS/Galileo/Beidou/SDAR applications
- IoT
- · Satellite radio
- Remote technology monitoring
- Surveying and mapping systems
- Logistics

Electrical Specifications

Parameters	GNSS			SDARS			TT *4	Nisten
	Min.	Typ.	Max.	Min.	Тур.	Max.	Units	Notes
Operating Frequency		1561			2320		MHz	
		1575			2332			
		1589			2245			
		1602			2345			
Return Loss	-20	1561	MHz		2320 MHz			
	-6	1575 MHz		-15 2332 MHz 2345 MHz	2332 MHz		dB	
	-6	1589 MHz			MII-			
	-30	1602 MHz			MHZ			
Gain		2.7			4.0			$20^{\circ} \le \varphi \le 0^{\circ}$
		2.3			3.9			$40^{\circ} \le \varphi \le 20^{\circ}$
		1.8			3.5		dBi	$60^{\circ} \le \varphi \le 40^{\circ}$
		0.6			2.4			$65^{\circ} \le \varphi \le 60^{\circ}$
		-0.3			2.0			$70^{\circ} \le \varphi \le 65^{\circ}$
Polarization	RHCP		LHCP					

^{*}Above mentioned values are for the ground plane size of 50 x 50 mm

Environmental Specifications

Parameters	Description		
Operating Temperature	-40 °C to +85 °C		
Storage Temperature	-40 °C to +105 °C		
Frequency Temperature Coefficient	20ppm/deg. °C		
Humidity	90 % ~ 95 % R.H.		





APAKM4012-C2G3D




40.0 x 40.0 x 12.2 mm RoHS/RoHS II Compliant MSL = N/A: Not Applicable

Product Image



Product Dimensions



(Unit:mm)







APAKM4012-C2G3D



40.0 x 40.0 x 12.2 mm RoHS/RoHS II Compliant MSL = N/A: Not Applicable

Return Loss and Impedance Characteristics










APAKM4012-C2G3D




40.0 x 40.0 x 12.2 mm RoHS/RoHS II Compliant MSL = N/A: Not Applicable

Radiation Pattern - Gain



XZ - Plane








APAKM4012-C2G3D



40.0 x 40.0 x 12.2 mm RoHS/RoHS II Compliant MSL = N/A: Not Applicable

Radiation Pattern - Gain

YZ – Plane








APAKM4012-C2G3D



40.0 x 40.0 x 12.2 mm RoHS/RoHS II Compliant MSL = N/A: Not Applicable

Radiation Pattern - Gain

XY – Plane








APAKM4012-C2G3D



40.0 x 40.0 x 12.2 mm RoHS/RoHS II Compliant MSL = N/A: Not Applicable

Radiation Pattern - GNSS

XZ - Plane








APAKM4012-C2G3D



40.0 x 40.0 x 12.2 mm RoHS/RoHS II Compliant MSL = N/A: Not Applicable

Radiation Pattern - GNSS

YZ – Plane








APAKM4012-C2G3D



40.0 x 40.0 x 12.2 mm RoHS/RoHS II Compliant MSL = N/A: Not Applicable

Radiation Pattern - GNSS

XY - Plane







APAKM4012-C2G3D



40.0 x 40.0 x 12.2 mm RoHS/RoHS II Compliant MSL = N/A: Not Applicable

Radiation Pattern - 3D Patterns

1561 MHz 1575 MHz 1589 MHz 1602 MHz 2320 MHz 2332 MHz 2345 MHz



5101 Hidden Creek Ln Spicewood TX 78669 Phone: 512-371-6159 | Fax: 512-351-8858 For terms and conditions of sales, please visit: www.abracon.com

REVISED: 06-13-19

ABRACON IS ISO9001-2015 CERTIFIED




APAKM4012-C2G3D



40.0 x 40.0 x 12.2 mm RoHS/RoHS II Compliant MSL = N/A: Not Applicable

Test Jig







APAKM4012-C2G3D



40.0 x 40.0 x 12.2 mm RoHS/RoHS II Compliant MSL = N/A: Not Applicable

Reliability Test

Item	Test Condition	Remark	
Humidity Test	Humidity Test The device is subjected to 90% to 95% relative humidity 60°C ± 3°C for 96 h to 98 h, then dry out at 25 °C ± 5°C and less than 65% relative humidity for 2 h to 4 h. After drying out, the device shall satisfy the specification in Table.1.		
High Temperature Exposure	The device shall satisfy the specification in Table.1. after leaving at 105°C for 96 h to 98 h, provided it would be measured after 2 h to 4 h leaving in 25°C ± 5°C and less than 65% relative humidity.	It shall fulfill the specifications in Table.1.	
Low Temperature Exposure	The device shall satisfy the specification in Table.1. after leaving at -40° C for 96 h to 98 h, provided it would be measured after 2 h to 4 h leaving in 25°C ± 5°C and less than 65% relative humidity.	It shall fulfill the specifications in Table.1.	
Temperature Cycle	Subject the device to -40°C for 30 min followed by a high temperature of 105°C for 30 min cycling shall be repeated 5 times. At the room temperature for 1 h prior to the measurement.	It shall fulfill the specifications in Table.1.	
Vibration	Subject the device to vibration for 2 h each in x, y and z axis with the amplitude of 1.5 mm, the frequency shall be varied uniformly between the limits of 10 Hz to 55 Hz.	It shall fulfill the specifications in Table.1.	
Soldering Test	Soldering Test Lead terminals are heated up to $350^{\circ}\text{C} \pm 10^{\circ}\text{C}$ for 5 ± 0.5 s with brand iron and then element shall be measured after being placed in natural conditions for 1 h. No visible damage and it shall fulfill the specifications in Table.1.		
Solder ability	Lead terminals are immersed in soldering bath of 260°C to 290°C for 3 ± 0.5 s . More than 95% of the terminal surface of the device shall be covered with fresh solder.	The terminals shall be at least 95% covered by solder.	
Terminal Pressure Strength	± 1 s (see drawing). No visible damage and it shall fulfill the		

Fig. 1




Table 1

Item	Specification After Test (MHz)		
Center Frequency change	±2.0		





APAKM4012-C2G3D



40.0 x 40.0 x 12.2 mm RoHS/RoHS II Compliant MSL = N/A: Not Applicable

Packaging

A package has 80 antenna elements.

Package Type	Quantity		
1 Package base	10 Antennas		
1 Vacuum bag	2 Package bases		
1 Inner box	1 Vacuum bag		
1 Package	4 Inner boxes		

ATTENTION: Abracon LLC's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependent Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon LLC is required. Please contact Abracon LLC for more information.

